




Trusted, simple and classic.

With over 14 years of proven reliability, Precedent is the Golf Car you can trust. Featuring an industry exclusive aluminum frame, monsoon canopy and available Visage LT connectivity, Precedent is thoughtfully designed with the golfer and operator in mind.



Club Cal

FLEET MANAGEMENT

Big Technology Features, Smaller Package

Visage connectivity delivers car control, car tracking, diagnostics and golfer experience on compact screen; an ideal entry point for operations ready to capitalize on the advantages of a connected fleet. You can monitor your fleet on the cloud-based Visage portal using any internet-ready device.





Rust-proof aluminum frame

OPTIONS & ACCESSORIES

More accessories available, ask your Club Car sales representative for details.

AUTOMOTIVE-GRADE, CLOSED-LOOP EFI continuously adjusts engine performance based off an internal oxygen sensor for excellent fuel economy and more reliable starting and performance in any environment.

ONBOARD DIAGNOSTICS, ACCESSIBLE ON YOUR LAPTOP OR SMART DEVICE quickly identify engine issues to keep your vehicle running and decrease maintenance time.

EFI OVERHEAD VALVE ENGINE

REDUCED OIL CHANGES maximize uptime and your bottom line, thanks to an industry-leading oil change interval recommendation (every 200 hours*).



EFFICIENT: With energy costs high and getting higher, reducing consumption is the surest way to control costs.

RELIABLE: E.R.I.C. is constructed to handle whatever your staff and nature can dish out.

INTELLIGENT: Charger status lights, on-car dash light and audible alerts communicate the car is charging, the state of the charge cycle, battery state of charge and charger faults.

CONNECTED[•]: Enjoy two-way communication via USB port, upload system updates and allow authorized Club Car technicians to download charger data.



White

Standard seat colors







Beige

Black



Tinted Windshield





Comfort Grip Steering Wheel



Caddy Master Cooler

Sand Trap Rake Kit



PRECEDENT 4FUN

The Precedent 4Fun is a unique way to attract new groups of golfers and families to the game. Easily accommodate a full foursome in comfort with:

- Four forward-facing seats
- Four-bag holder attachment
- Eight cup holders



Bag Cover with Magnetic Latch



Ball and Club Cleaner



Divot Repair Sand Bottle



USB Port



PRECEDENT 4FUN



PRECEDENT

	GASOLINE	ELECTRIC	ELECTRIC
ENGINE	OHC, 429 cc, single cylinder, air-cooled, splash-lubricated, 19.91 ft-lb (27.0 N-m) rated torque @ 2,400 rpm	N/A	N/A
TURNING CIRCLE	17' 4" (5.28m)	17' 4" (5.28m)	24′ 9″ (7.54m)
HORSEPOWER	14.0 hp (10.3 kW) rated @ 3,600 rpm	3.3 hp	3.7 hp
GOVERNOR GUARD	Yes	N/A	N/A
BATTERIES	12-volt	Optional single point watering system	Optional single point watering system
CHARGER	N/A	48 VDC 13.5 amp DC high frequency solid state charger	48 VDC 13.5 amp DC high frequency solid state charger
STEERING	Self-compensating double reduction helical rack & pinion	Self-compensating double reduction helical rack & pinion	Self-compensating double reduction helical rack & pinion
FRONT SUSPENSION	Independent leaf spring w/dual hydraulic shocks	Independent leaf spring w/dual hydraulic shocks	Independent leaf spring w/dual hydraulic shocks
BRAKES	Self-adjusting, rear wheel mechanical drum	Self-adjusting, rear wheel mechanical drum	Self-adjusting, rear wheel mechanical drum
PARK BRAKE	Foot operated, multi-lock	Foot operated, multi-lock	Foot operated, multi-lock
BODY AND FINISH	Molded-in color	Molded-in color	Molded-in color
TIRES	18 × 8.50-8	18 × 8.50-8	18 x 8.50-8
L x W x H	91.5 x 47.25 x 68.5 in (232 x 120 x 174 cm)	91.5 x 47.25 x 68.5 in (232 x 120 x 174 cm)	144 x 47.25 x 69 in (366 x 120 x 174 cm)
WHEELBASE	65.5 in (166.4 cm)	65.5 in (166.4 cm)	101 in (257 cm)
GROUND CLEARANCE	4.5 in (11.4 cm)	4.5 in (11.4 cm)	4.5 in (11 cm)
FUEL TANK CAPACITY	6.0 gal (22.7 L)	N/A	N/A
TREAD-FRONT & REAR	34.5 / 38.5 in (87.6 / 97.8 cm)	34.5 / 38.5 in (87.6 / 97.8 cm)	34.5 / 38.5 in (87.6 / 97.8 cm)
CURB WEIGHT	642 lb (291 kg)	903 lb (410 kg)	1,232 lb (559 kg)
FLOOR HEIGHT	12 in (30.5 cm)	12 in (30.5 cm)	12 in (30.5 cm)
FRAME TYPE	Ladder-style aluminum box beam	Ladder-style aluminum box beam	Ladder-style aluminum box beam
KICKPLATE	Yes	Yes	Yes
SPEED RANGE	12-15 mph (19.3-24.1 kph)	7 speed settings: 5-15 mph (8-24.14 kph) 2 acceleration settings: Aggressive or traditional 3 pedal-up braking settings: None, mild and aggressive Speed fine adjustment in 0.1 mph (0.16 kph) increments	3 speed settings: 5-12.4 mph (8-20 kph) 2 acceleration settings: Aggressive or traditional 2 pedal-up braking settings: Mild and aggressive Speed fine adjustment in 0.1 mph (0.16 kph) increments
	5-year: Gas engine and transaxle	4-year: Batteries (25,000 amp hours/4 years with authorized deionizer	4-year: Batteries (25,000 amp hours/4 years with authorized
LIMITED WARRANTY*	4-year: Canopy, electronics, pedal group, standard seats, suspension	and filter system; otherwise, 20,000 amp hours/4 years), canopy, electronics, pedal group, standard seats, suspension	deionizer and filter system; otherwise, 20,000 amp hours/4 years), canopy, electronics, pedal group, standard seats, suspension
	3-year: Body panels, electric powertrain, premium seats	3-year: Body panels, electric powertrain, premium seats	3-year: Body panels, electric powertrain, premium seats
	2-year: All remaining components	2-year: All remaining components	2-year: All remaining components Limited lifetime: Frame
	Limited lifetime: Frame	Limited lifetime: Frame	

*There are no warranties, express or implied, contained herein. See Limited Warranty found in the owner's manual or write to Club Car, LLC. Vehicle specifications are accurate for each model at the time of publication. The company reserves the right to make design changes without obligation to make these changes on units previously sold. These vehicles are designed and manufactured for off-road use only. They do not conform to Federal Motor Vehicle Safety Standards for automobiles or to FMVSS 500 for low-speed vehicles and are not equipped for operation on public streets, roads or highways.